REAGENTS
DUKSAN

Certificate of Analysis

Potassium Chromate

[7789-00-6] (K2CrO4) FW:194.19

Product code. 391 **GR Grade**

TESTS	UNIT	SPECIFICATION
Appearance	-	Yellow crystal
Identification A	-	To pass test
Identification B	-	Flame reaction test
Assay	%	Min. 99.0
Solubility in Water	-	To pass test
pH (5 wv%, 25°C)	-	8.5 ~ 9.8
Chloride (Cl)	%	Max. 0.005
Sulfate (SO4)	%	Max. 0.03
Sodium (Na)	%	Max. 0.05
Copper (Cu)	%	Max. 0.001
Calcium (Ca)	%	Max. 0.005
Lead (Pb)	%	Max. 0.001
Iron (Fe)	%	Max. 0.002

Test Method : JIS K 8312

Exp. Date : 5 years after Mfg. Date

DUKSAN PURE CHEMICALS CO. LTD

Ansan | 53, Sinwon-ro 133beon-gil, Danwon-gu, Ansan-si, Gyeonggi-do, Korea
JinCheon | 13-37, Sansusandan 1-ro, Deoksan-eup, Jincheon-gun, Chungcheongbuk-do, Korea
TEL : +82-31-495-6886 FAX : +82-31-495-5335
World Wide Web : WWW.DUKSAN.KR

Quality Assurance Director