REAGENTS
DUKSAN

Certificate of Analysis

Acetone 99.5%

[67-64-1] (CH3COCH3) FW:58.08

Product code. 506

Extra Pure Grade

TESTS	UNIT	SPECIFICATION
Appearance	-	Clear, volatile liquid
Identification	-	IR spectrometry.
Assay (by GC)	%	Min. 99.5
Density (at 20°C)	g/ml	0.789 ~ 0.792
Solubility in Water	-	To pass test
Water	%	Max. 0.4
Residue after evaporation	%	Max. 0.002
Acidity (as CH3COOH)	%	Max. 0.003
Alkalinity (as NH3)	%	Max. 0.001
Substances reducing Permanganate (as O)	-	To pass test

Test Method : JIS K 8034

Exp. Date : 5 years after Mfg. Date

DUKSAN PURE CHEMICALS CO. LTD

Ansan | 53, Sinwon-ro 133beon-gil, Danwon-gu, Ansan-si, Gyeonggi-do, Korea
JinCheon | 13-37, Sansusandan 1-ro, Deoksan-eup, Jincheon-gun, Chungcheongbuk-do, Korea
TEL : +82-31-495-6886 FAX : +82-31-495-5335
World Wide Web : WWW.DUKSAN.KR

Quality Assurance Director